

Previous references.

✓
1923-24
P.C.)

File No. 5-23

Serial Nos. 15, 16 & 17

Later references.

5-23 -

Rm 31-24-809

Ln 64-25-102

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. 3

Part B for

1-February. 24

SUBJECT

Tank Maintenance & Tank Restoration works
in the Kolar Dt.

To

The Rev. Commr
" Chief Engineer for irrigation
" Comptroller
" D.C. Kolar

No 518-21/O 5-23.

dated 14.2.24

Sanctions with certain observations the Hon'ble
of 3 Tank maintenance works in the Corribidamma Taluk
which throws on Govt a liability of Rs. 359-8-0
& requests the Rev. Commr to explain certain discrepancies
in regard to the works sanctioned in the Kolar Dt.

12.4.24

1924

GENERAL AND REVENUE SECRETARIAT.

(1915)

NOTES.

File No. 5-23.

FILE HEADING.

Measures for the relief of
distress in the Kolar District

From

The Revenue Commr in Mysore

No. 3 of 23-24

Dated 2-2-24

Received 5-2-24

Diary No. 306

Enclos. 2 Spare Copies. —

Serial No. 15

BRIEF ABSTRACT OF LETTER.

Forwards a list of tank maintenance
and tank restoration works to be started in
the Goribiduru Taluk and requests sanction
to start them. The additional liability of Rs 5700/-
being met out of me. lakk placed this
dispm

NOTES AND ORDERS.

From.

The R. C. in Mysore

no 233 D 4-2-24.

Forwards a list of tank
maintenance works started in
the Kolar distt, in which The Com

Serial
No.

exceeds one year's assessment
and requests sanction to meet
the excess over the ryot's share
from the one lakh placed at
his disposal.

There are two cases for
orders :-

1 one relates to the sanctioning
of 3 tank maintenance works
and 2 ^{tank} restoration works in the
goribidnur taluk, which throw
an additional liability of Rs 5700
on Govt.

✓ The second relates to the
sanctioning of certain ^{T.M.} works in
16 in number - which have been
started prior to the ^X f.o. dated 26.12.22.
These throw an additional liability
of Rs 5650-8-0 accdg. to the
D.C.'s recommendation.

3 A sum of Rs 10,000/- was sanctioned
for such works in the Kolur distt
in f.o. dated Jan'y 1924. It is
for orders as to whether the amount

X. The file copy this for
has been sent separately
in connection
for reference
therefore agreeable
for
flag

Serial
No.

A.

of Rs 5650-8-0 should not be met out of that sum viz Rs 10,000 which represents the total liability of Govt in this respect in the Kolar distt.

As regards the Tank Restoration works in the Goribiduru Taluk, reference is invited to para 4 of go. dated 26.12.22, in which it is directed that the Chief Engineer should send in proposal in consultation with the Rev. authorities.

Subd for order.

Ans 5/2/24 6) Tank ^{maintenance} works already started, the liability of Govt is up to Rs 5650 ~~to~~ may be sanctioned, the expenditure being met out of the Tank as proposed by the Rev. Comm.

7) As regards the Tank maintenance works proposed in Goribiduru Taluk and the Restoration works, reference is invited to para 2 of Res. dated 30.12.22 (22 B). Under the circumstances, the Govt may also be sanctioned, the liability being Rs 5700 and.

Rev. Secy

Mr. B. M. in Rep.

WD 0561-GPB-3750-1-8-22

9) Note to ~~the~~ Secy. Please put up in the in connection with A above

Dis File No. 5 of 1923-24

Serial
No.

10 Collection. 5-23-859810 is put up (vide flag X)

11 If the list (flagged Z) now recd from the R.C. is compared with the list flagged Q, it will be seen that some works which are reported to have been started prior to 26-12-23 are included in the latter statement (Please see those ticked in the two lists). Further the figures regarding assessment and estimated cost differ in the two statements in respect of the same work.

12 As regards Goribidnur Taluk, 7 Tank maintenance works have already been started prior to 26-12-23 - (vide flag Z). It is not known whether they have all been finished. Again the D.C. wants to start 5 G. M. works & 2 Restoration works. (vide ind. to P.S.) Had the lists called for in the No. of 26-12-23 been ~~sent~~ prepared properly and submitted, the confusion would have been avoided.

13 Under the circumstances, it seems that the total liability for the work ~~is~~ in regard to these works may be limited.

Serial
No.

to Rs 10,000 already sanctioned & that the J. M. works also reported to have been started on the Gvibidnu Taluk maybe completed before ^{such} new works & J. R. works are taken up.

~~Pro~~ ~~11/1/24~~ There are 2 matters for consideration in this file:

I) Sanctioning ~~additional~~ ^{additional} works for Gvibidnu

The DE recommends that 5 Tank Maintenance estimates, + 2 Restoration works may be sanctioned. The R.C. ^{has} sanctioned 2 T.M. estimates. The sanctioning of the following three Tank Maintenance estimates 1) Kankun ~~estimates~~ 2) Mudigana Kunti & 3) Chandamoor (which involve a liability ^{on Govt} of Rs 359.80 in excess of the 2/10th share) is for order. As regards the 2 Restoration works, they may be referred to the P.D.

15 It may be observed that the outlay on works already sanctioned is very poor & it is inexplicable why, in such circumstances, further estimates are sent up for sanction -

16 II The second matter is the extra liability thrown on Govt on acc of Tank Maintenance ~~estimates~~ works begun before

Serial
No.

Z

H.

Q

D

Offi.
Fly return
along the
re

Attended
8/12/24

the meeting held on the third week of December last. 16 works are reported to have been taken up over which a liability of Rs 650-8-0 is placed upon Govt. In his letter of the 2nd inst. to the P.C. the D.C. Kolar sought sanction to continue Tank maintenance works which he had proposed to start in January. The following tank maintenance works: 1) Madivala Dodd Kere in Malur, 2) Narasimharayana Kere and 3) Munthakapalle tank in Srirangapatna taluk which in that list were shown as works proposed to be started in Jan are now shown as having been started before the G.O. of 26th Dec. was issued. Again the figures of cost of estimates, & of the Annual Assessment vary in respect of these three works. The P.C. will be requested to explain these discrepancies, & to see that until final orders of Govt. are passed these ex-ante liability of Govt. in the Kolar district in respect of Tank Maintenance works be limited to 1000 Rs as ordered in G.O. of 12.11.24

Dena
Ys. report
Lafel per H above

re
8/12
8.2.24

DEWAN'S OFFICE	
Recd. on	8/12/24
File No.	5683
NOTE—Contn. sheet.	

Dis File No.

5

of 1923-24

Serial
No.

The American where is -
maybe such as indicated

orders must run by
Draft Perf

Draft G.O. subd.

12/2/24

The draft is not datable.
Meaning of.

12.2.24.

For draft as reverse to

Typed draft subd.

A It is for orders of the G.O. maybe
placed at the disposal of the Press.

13/2/24

1. Apppt
2. 155m
3. - Need not to show as
- to depend of the Press
- or published in the Press

13.2.24.

Des File No.

5

of 1923-24

Serial
No.

20

17

The Rev Comr

The Chief Eng^r in Irrigation

The Comptroller

The S. C. Kharat

by 5824 of 14.2.24.

Sanctions with certain observations
the taking up of 37.11.24 works
in the forbidden taluk, Kharat,
which impose on Govt liability of
Rs 3598-0 in excess of the Govt
liability & request the R.C. to
explain certain discrepancies in regard
to the works sanctioned for Kharat

Draft reminder subd

For
3/3/24

Issue
13.3.24

Issued. no. 756/2 of 14.3.24

24890

OFFICE OF THE REVENUE COMMISSIONER
IN MYSORE.

No D. 3 of 23-24.

Bangalore...the 31st January..1924.

Enc 2

1015

2 — 2 —

FROM

K. Chandy, Esquire, B.A.,
Revenue Commissioner in Mysore

306
Dis

5-93-15

To

Secretary to the Government of
His Highness the Maharaja of Mysore,
Revenue Department

SIR,

I have the honour to forward herewith a copy of letter No. nil dated the 30th. January 1924 from the Deputy Commissioner, Kolar District, together with its enclosure in original soliciting sanction to five tank maintenance and two tank restoration works in the Goribidnur Taluk, and to state that two of these viz items 1 and 5 under tank maintenance have been sanctioned by me as they are within my own powers of sanction since their total estimate does not exceed one year's assessment.

As regards the remaining five works, the Deputy Commissioner states that he has satisfied himself as to the real need for starting the same and adds that the two tank restoration works have been recommended on account of the absence of maintenance and Village Improvement works in the locality concerned.

In these circumstances, I request you to be so good as to obtain sanction of Government to the 3 tank maintenance works and two tank restoration works referred to above, the total additional liability of Government on this account, viz Rs.5,700/- being met from the sum of rupees one lakh sanctioned in Government Order No. R.

R. C. 4.

FROM

Revenue Commissioner in Mysore.

To

*The Secretary to the Government of
H. H. the Maharaja of Mysore,
Department.*

Dated

Despatched

Received

General No.

Enclosure No.

S U B J E C T .

No. R.2276-87/R.M. 11-23-71 dated the 22nd November 1923.

I have the honor to be,

Sir,

Your most obedient servant,

N. L. A. Dey

Revenue Commissioner.

VRR/-

encl.

Copy of letter No. nil dated the 30th January 1924 from the Deputy Commissioner, Kolar District, to the Revenue Commissioner in Mysore, Bangalore.

I have the honour to forward herewith for sanction a list with full information of tank maintenance, feeder channel and tank restoration works proposed to be started in the Goribidnur Taluk and to request that the preliminary sanction of Government may kindly be obtained at once and communicated. It will be seen from the list that in the ~~ix~~ majority of cases the maintenance estimates are covered by one year's assessment.

I am aware that the Government have declined sanction to the proposal made for the starting of works in the Gudibanda Sub Taluk and directed that the works already in progress may be finished in the first instance. I have been touring in the Goribidnur Taluk for the last 3 or 4 days in connection with Jamabandy and I find from my personal experience and discussion with the Amildar that the conditions in this taluk are somewhat different from those of the Gudibanda Sub Taluk. I am satisfied of the real need for starting the proposed works and I therefore request that you will kindly obtain the sanction of Government to start the works referred to in the list. Two tank restoration works ^{have} been proposed for the villages on the Thondebhavi-Korata-gere road where no tank maintenance works are available. I have seen these villages and they are some of the worst in the Taluk. We managed till now owing to the absence of maintenance works with Village Improvement works but these are coming to an end ^{and} there is no alternative but to take up the two restoration works. very early sanction is solicited.

"C O P Y"

S. Subbarayappa.

For Revenue Commissioner.

vsg

List of tank maintenance, feeder channel and tank restoration works to be started in the Gorrribidnur Taluk, Kolar District, for the relief of distress.

Taluk	Name of tank	Amount of one year's assessment	Probable cost of estimate	Additional liability of Govt.	Remarks.
<u>Tank Maintenance.</u>					
	1. Sonaganahalli tank (major)	3223-2-0	2000-0-0		
	2. Kokere tank	1232-0-0	1500-0-0	268-0-0	
	3. Muduganakunte - Gangasandra	1442-0-0	1500-0-0	58-0-0	X / X This work may be taken up only if the feeder channel work can not be sanctioned.
	4. Chendandoor tank	2816-8-0	2850-0-0	33-8-0	
	5. Hudgur Dodkere	3594-0-0 / X	2000-0-0	 / X	This is for both Chikkakere and Dodkere. Over the former a sum of Rs. 1694-12-0 has already been spent.
Total		12307-10-0	Total	359-8-0	
<u>Tank Restoration</u>					
	1. Somasettihalli minor tank	122-0-0	2500-0-0	2500-0-0	
	2. Tharidal minor tank	143-0-0	3200-0-0	3200-0-0	
Total			Total	5700-0-0	

Abstract:-	(Additional liability on Government)
1. Tank maintenance	Rs. 359-8-0
2. Tank Restoration	5700-0-0
Total	6059-8-0

Advance due by ryots to Government

Rs. 12,307-10-0

M. V. S. Camp Manchenahalli 30th Jan 1924.

Stamen
Deputy Commissioner,
Kolar District.

25033

OFFICE OF THE REVENUE COMMISSIONER
IN MYSORE.

No D.33/23-24.

Enc 2.

Bangalore the 2nd February 1924...


4

FROM .

K. Chandy, Esquire, B.A.,
Revenue Commissioner in Mysore

308
Dis

Dis 5-13-16



To

Secretary to the Government of
His Highness the Maharaja of Mysore,
Revenue Department

SIR,

D
Adverting to para 3 of Government Order No.49-63/D. dated the 26th December 1923 calling for a list of tank maintenance works which in view of the urgency of the situation have already been started although the cost exceeds a year's assessment, I have the honour to forward herewith Copy of letter No.D.9 dated the 31st January 1924 from the Deputy Commissioner, Kolar District, together with list No.1 referred to therein in original from which it will be seen that the additional liability that is thrown on Government on account of the works comes to Rs.5,650-8-0 I request you to be so good as to obtain sanction of Government for meeting this excess over the ryots' share from the sum of rupees one lakh sanctioned in Government Order No. R.2276-87/R.M. 11-23-71 dated the 22nd November 1923.

I have the honour to be,

Sir,

Your most obedient servant,

K. Chandy
Revenue Commissioner.

VRR/-

R. C. 4.

FROM

Revenue Commissioner in Mysore.

TO

*The Secretary to the Government of
H. H. the Maharaja of Mysore,
Department.*

Dated

Despatched

Received

General No.

Enclosure No.

S U B J E C T .

Copy of letter No. D.9 of 23-24 dated the 31st January 1924 from the Deputy Commissioner, Nolar District, to the Revenue Commissioner in Mysore, Bangalore.

With reference to your docket No. D.33/23-24 dated the 1st instant calling for lists of tank maintenance works in this district which, in view of the urgency of the situation, have already been started for the relief of distress, I have the honour to enclose herewith two lists containing the required particulars. List No. I gives the number of tank maintenance works wherein the cost is more than a year's assessment and list No. II shows the number of tank maintenance works in which the cost is limited to one year's assessment. It will be seen therefrom that, when all these works are finished, the total expenditure comes to Rs.27,531/- of which Rs.21,880-8-0 will be treated as advance to be recovered in subsequent years from ryots ~~xxx~~ and Rs.5,650-8-0 will be a final charge against Government.

"C O P Y"

De Subbarayappa

For Revenue Commissioner

VRR/-
VRR

No. I.

List of tank maintenance works in the Kolar District which, in view of urgency of the situation, have already been started although the cost is more than a year's assessment. (Started prior to G.O.No.49-63-/D dated 26th December 1923).

Sl.No.	Taluk.	Name of tank.	Amount of one year's assessment.	Probable cost of the estimate.	Additional liability on Government.
1.	Sidlaghatta.	nil			
2.	Chickballapur.	nil			
3.	Bowringpet.	nil			
4.	Chintamani.	Hebbani Amani kere.	732- 8- 0	811- 0- 0	78- 8- 0
5.	Bagepalli.	Burakayalakothakote tank.	91- 0- 0	170- 0- 0	79- 0- 0
6.	Malur.	Madivala Dodkere. ✓	664- 12- 0	800- 0- 0	135- 4- 0
7.	Srinivasapur.	✗ Todigol Dodkere.	474- 0- 0	740- 0- 0	266- 0- 0
		✗ Arikunta tank.	79- 0- 0	639- 0- 0	560- 0- 0
		Narasimhanayakana kere. ✓	355- 0- 0	951- 0- 0	596- 0- 0
		✗ Chigarakunte near Koosandra.	15- 0- 0	455- 0- 0	440- 0- 0
		✗ Arikere tank.	255- 0- 0	562- 0- 0	307- 0- 0
		Muthakapalli tank. ✓	946- 0- 0	1347- 0- 0	401- 0- 0
8.	Mulbagal.	nil.			
9.	Gudibanda.	nil.			
10.	Goribidnur.	Nagaragere Dodkere.	2874- 0- 0	3255- 0- 0	381- 0- 0
		Manivala tank.	1571- 0- 0	2330- 0- 0	759- 0- 0
		~~Velpi tank.~~	~~425- 0- 0~~	~~850- 0- 0~~	~~425- 0- 0~~
		Bandarlapalli tank.	192- 0- 0	210- 0- 0	18- 0- 0
		Kadalveni tank.	641- 0- 0	1141- 0- 0	500- 0- 0
		Idagur tank.	1561- 0- 0	1864- 0- 0	303- 0- 0
11.	Kolar.	Vakkaleri Hire kere.	378- 4- 0	780- 0- 0	401- 12- 0
Total.			11254- 8- 0	16905- 0- 0	5650- 8- 0
Amount treated as advance due from ryots			11254-8-0		
Amount treated as final charge.			5650-8-0		

V.N.

Chinnaravanam
For Deputy Commissioner,
Kolar District.

am

Proceedings of the Government of His Highness
the Maharaja of Mysore.

Read.-

X

G.O. No. 239-42/Dis.5-23-10 dated 12-1-24
sanctioning the starting of certain T.M. works,
T.R. works and feeder channel works in the
affected Taluks of the Kolar District, the
liability of Govt. in this respect being li-
mited to Rs. 10,000/-

B

[*Contents of flag N
will be typed]

2. Letter No. D3. of 1923-24 dated 2-2-24
from the Rev. Commr. recommending sanction to
the Dy. Commr's proposal to start 3 T.M. works
and 2 T.R. works in the Goribidanur Taluk as
noted in the margin, the total additional lia-
bility ^{on Govt} on this account being Rs. 6,059/8/-.

D.

3. Letter No. D.33 of 1923-24 dated
4-2-24 from the same Officer submitting with
reference to para. 3 of G.O. No. 49-63/D. dated
26-12-23. a list of tank maintenance works
started in view of the urgency of the situation
at a cost of Rs. 16,905/- in the Kolar District
prior to the issue of the above G.O. and request-
ing sanction to meet the excess amounting to
Rs. 5650-8-0 over the ryots' liability from the
sum of one lakh of rupees ^{planned} which is at his dis-
posal.

Govt are pleased to sanction
the following three tanks maintenance
works in Goribidanur Taluk, which
are reported to be important
and liability of Rs. 359-8-0
Govt. in excess of the
ryots share of the liability

no 518-21/statte
Dis 5-23-17
dated 14.2.24

Govt. are pleased to sanction the three
T.M. works viz: (1) Kenkere, (2) Muduganakunte
and (3) Chendandoor, which throw on Govt. a
liability of Rs. 359-8-0 in excess of the ryots'

~~share~~, ^{will} ~~The~~ expenditure ^{Sum 7} ~~being~~ met from the one lakh of Rupees sanctioned in the G.O. of Nov. 1923. ~~xxxxxx~~ 2. As regards the two Tank restoration works viz: Somasettihally minor tank and Tharidal minor tank, the Chief Engineer for Irrigation is requested to include them in the programme of works referred to in para. 4 of G.O. dated 26-12-1923. D

3. In this connection Government observe that the outlay on works already sanctioned is very poor, and it is inexplicable why, in such circumstances, further estimates are sent up for sanction.

4. As regards the liability of Rs. 5650-8-0 placed on Govt. in respect of 16 T.M. works said to have been started in the Kolar District prior to the issue of G.O. No. 49-63/D. dated 26-12-23, the attention of the Rev. Commr. is invited to the list forwarded to him with letter No. ^X ~~D~~ 9 dated 2-1-24 ^H from the Dy. Commr., Kolar, wherein sanction was sought for certain tank maintenance works proposed to be started in January 1924. The following T.M. Works (1) Madivala Doddakere in Malur, (2) Narasimhanayakanakere and Muthukapalli tank in Srinivasapur Taluk which, in that list were shown as works proposed to be started in January 1924, are now shown as having been started before the G.O. of 26-12-23 was issued. Again the figures of cost of estimates and of the annual assessment vary in respect of these three works as ^{Sum} ~~entered~~ in the two lists. The Rev. Commr. is requested to explain these discrepancies and to see that until final

orders

orders are passed, excess liability of Govt.
in the Kolar District in respect of Tank
maintenance works &c. is limited to Rs.
10,000/- as ordered in the G.O. of 12-1-24
read above.

Per

Revenue Secretary to Govt.

for

To

The Revenue Commissioner

The Chief Engineer for Irrigation

The Comptroller to Govt.

The Dy. Commr. Kolar District.

G. R. S. G/33]

GENERAL AND REVENUE
SECRETARIAT.

(Continuation sheet draft form.)

No 754/A

of 14-3-24

To

The Rev Commr

Sir,

I am directed
to invite reference
to para 4 of G.O. no
518-21/Dis-5-23-17
dated the 14th Feb
1924 and to request
that the explanation
for the discrepancies
in the lists of tank
maintenance works in
the Kolar district referred
to therein may be
forwarded at an early
date

Shanesh

13-3-24

In Reply

for